

Test Report

號碼(No.): ETR21900399M01 日期(Date): 03-Jan-2022 頁數(Page): 1 of 9

高柏科技股份有限公司 (T-GLOBAL TECHNOLOGY CO., LTD.) 桃園市桃園區大仁路50巷33號 (NO. 33, LN. 50, DAREN RD., TAOYUAN DISTRICT, TAOYUAN CITY 33068, TAIWAN R.O.C.)

以下測試樣品係由申請廠商所提供及確認 (The following sample(s) was/were submitted and identified by/on behalf of the applicant as):

樣品名稱(Sample Name) : ARTIFICIAL GRAPHITE SHEET (人造石墨片)

樣品型號(Style/Item No.) : T68

收件日(Sample Receiving Date) : 01-Sep-2021

測試期間(Testing Period) : 01-Sep-2021 to 07-Sep-2021

測試需求(Test Requested) : (1) 依據客戶指定,參考RoHS 2011/65/EU Annex II及其修訂指令(EU)

2015/863測試鎘、鉛、汞、六價鉻、多溴聯苯、多溴聯苯醚, DBP, BBP, DEHP, DIBP。 (As specified by client, with reference to RoHS 2011/65/EU Annex II and amending Directive (EU) 2015/863 to determine Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP,

DEHP, DIBP contents in the submitted sample(s).)

(2) 依據客戶指定,測試鹵素-氟、氯、溴、碘。 (As specified by client, to

test Halogen-Fluorine, Chlorine, Bromine, Iodine in the submitted

sample.)

測試結果(Test Results) : 請參閱下一頁 (Please refer to following pages.)

Troy Chang Manager Te h SGS
Signed for and on behalf of SGS TAIWAN LTD.
Chemical Laboratory - Taipei



PIN CODE: 64384ECC



Test Report

號碼(No.): ETR21900399M01 日期(Date): 03-Jan-2022 頁數(Page): 2 of 9

高柏科技股份有限公司 (T-GLOBAL TECHNOLOGY CO., LTD.) 桃園市桃園區大仁路50巷33號 (NO. 33, LN. 50, DAREN RD., TAOYUAN DISTRICT, TAOYUAN CITY 33068, TAIWAN R.O.C.)

測試部位敘述 (Test Part Description)

No.1 : 灰色片狀 (不含離型膜) (GRAY SHEET (EXCLUDING THE RELEASE FILM))

測試結果 (Test Results)

| 測試項目 | 測試方法 | 單位 | MDL | 結果 (Result) |
|--|--|--------|-----|----------------|
| (Test Items) | (Method) | (Unit) | | No.1 |
| 鎘 (Cd) (Cadmium (Cd)) (CAS No.: 7440-43-9) | 參考IEC 62321-5: 2013 · 以感應耦合電 漿發射光譜儀分析。(With reference to | mg/kg | 2 | n.d. |
| 鉛 (Pb) (Lead (Pb)) (CAS No.: 7439-92-1) | IEC 62321-5: 2013, analysis was performed by ICP-OES.) | mg/kg | 2 | n.d. |
| 汞 (Hg) (Mercury (Hg)) (CAS No.: 7439- 97-6) | 參考IEC 62321-4: 2013+ AMD1: 2017 · 以感應耦合電漿發射光譜儀分析。(With reference to IEC 62321-4: 2013+ AMD1: 2017, analysis was performed by ICP-OES.) | mg/kg | 2 | n.d. |
| 六價鉻 Cr(VI) (Hexavalent Chromium Cr(VI)) (CAS No.: 18540-29-9) | 參考IEC 62321-7-2: 2017·以紫外光-可見光分光光度計分析。(With reference to IEC 62321-7-2: 2017, analysis was performed by UV-VIS.) | mg/kg | 8 | n.d. |
| 一溴聯苯 (Monobromobiphenyl) | 參考IEC 62321-6: 2015‧以氣相層析儀/ 質譜儀分析。(With reference to IEC 62321-6: 2015, analysis was performed by GC/MS.) | mg/kg | 5 | n.d. |
| 二溴聯苯 (Dibromobiphenyl) | | mg/kg | 5 | n.d. |
| 三溴聯苯 (Tribromobiphenyl) | | mg/kg | 5 | n.d. |
| 四溴聯苯 (Tetrabromobiphenyl) | | mg/kg | 5 | n.d. |
| 五溴聯苯 (Pentabromobiphenyl) | | mg/kg | 5 | n.d. |
| 六溴聯苯 (Hexabromobiphenyl) | | mg/kg | 5 | n.d. |
| 七溴聯苯 (Heptabromobiphenyl) | | mg/kg | 5 | n.d. |
| 八溴聯苯 (Octabromobiphenyl) | | mg/kg | 5 | n.d. |
| 九溴聯苯 (Nonabromobiphenyl) | | mg/kg | 5 | n.d. |
| 十溴聯苯 (Decabromobiphenyl) | | mg/kg | 5 | n.d. |
| 多溴聯苯總和 (Sum of PBBs) | | mg/kg | - | n.d. |



Test Report

號碼(No.): ETR21900399M01 日期(Date): 03-Jan-2022 頁數(Page): 3 of 9

高柏科技股份有限公司 (T-GLOBAL TECHNOLOGY CO., LTD.) 桃園市桃園區大仁路50巷33號 (NO. 33, LN. 50, DAREN RD., TAOYUAN DISTRICT, TAOYUAN CITY 33068, TAIWAN R.O.C.)

| (Result) | 測試項目 | 測試方法 | 單位 | MDL | 結果 |
|---|--|---|--------|-----|----------|
| 演験苯離 (Monobromodiphenyl ether) | (Test Items) | (Method) | (Unit) | | (Result) |
| 演聯苯醚 (Dibromodiphenyl ether) | | | | | No.1 |
| 三溴聯苯醚 (Tribromodiphenyl ether) | 一溴聯苯醚 (Monobromodiphenyl ether) | | mg/kg | 5 | n.d. |
| 四溴聯苯離 (Tetrabromodiphenyl ether) | 二溴聯苯醚 (Dibromodiphenyl ether) | | mg/kg | 5 | n.d. |
| 本語 | 三溴聯苯醚 (Tribromodiphenyl ether) | | mg/kg | 5 | n.d. |
| 質譜儀分析・(With reference to IEC | 四溴聯苯醚 (Tetrabromodiphenyl ether) | <u> </u> | mg/kg | 5 | n.d. |
| | 五溴聯苯醚 (Pentabromodiphenyl ether) | , | mg/kg | 5 | n.d. |
| 大演聯苯醚 (Octabromodiphenyl ether) | | • | mg/kg | 5 | n.d. |
| 大浪聯苯醚 (Nonabromodiphenyl ether) 大浪聯苯醚 (Nonabromodiphenyl ether) 大浪聯苯醚 (Decabromodiphenyl ether) 大浪聯苯醚 (Decabromodiphenyl ether) 大浪聯苯醚 (Decabromodiphenyl ether) 大浪聯苯甲酸 (Decabromodiphenyl ether) 大浪聯苯甲酸 (Decabromodiphenyl ether) 大泉聯苯甲酸 (Decabromodiphenyl ether) 大泉聯苯甲酸 (Decabromodiphenyl ether) 大泉聯苯甲酸 (Decabromodiphenyl ether) 大泉聯本 (Decabrom | 七溴聯苯醚 (Heptabromodiphenyl ether) | , | mg/kg | 5 | n.d. |
| 大沙川 大沙 | 八溴聯苯醚 (Octabromodiphenyl ether) | by GC/1813.) | mg/kg | 5 | n.d. |
| 多漢聯苯離總和 (Sum of PBDEs) | 九溴聯苯醚 (Nonabromodiphenyl ether) | | mg/kg | 5 | n.d. |
| ##苯二甲酸丁苯甲酯 (BBP) (Butyl benzyl phthalate (BBP)) (CAS No.: 85-68-7) ##苯二甲酸二丁酯 (DBP) (Dibutyl phthalate (DBP)) (CAS No.: 84-74-2) ##苯二甲酸二異丁酯 (DIBP) (Diisobutyl phthalate (DIBP)) (CAS No.: 84-69-5) ##苯二甲酸二(2-乙基己基酯 (DEHP) (Di-(2-ethylhexyl) phthalate (DEHP)) (CAS No.: 117-81-7) ## (F) (Fluorine (F)) (CAS No.: 14762-94-8) ## 88 EN 14582: 2016 · 以離子層析儀分析。(With reference to BS EN 14582: 2016, analysis was performed by IC.) ## 88 EN 14582: 2016 · 以離子層析儀分析。(With reference to BS EN 14582: 2016, analysis was performed by IC.) ## 88 EN 14582: 2016 · 以離子層析儀分析。(With reference to BS EN 14582: 2016, analysis was performed by IC.) ## 88 EN 14582: 2016 · 以離子層析儀分析。(With reference to BS EN 14582: 2016, analysis was performed by IC.) ## 88 EN 14582: 2016 · 以離子層析儀分析。(With reference to BS EN 14582: 2016 · 以離子層析儀分析。(With reference to BS EN 14582: 2016, analysis was performed by IC.) ## 88 EN 14582: 2016 · 以離子層析儀分析。(With reference to BS EN 14582: 2016, analysis was performed by IC.) ## 88 EN 14582: 2016 · 以離子層析儀分析。(With reference to BS EN 14582: 2016, analysis was performed by IC.) ## 88 EN 14582: 2016 · 以離子層析儀分析。(With reference to BS EN 1 | | | mg/kg | 5 | n.d. |
| phthalate (BBP)) (CAS No.: 85-68-7) 鄰苯二甲酸二丁酯 (DBP) (Dibutyl phthalate (DBP)) (CAS No.: 84-74-2) 鄰苯二甲酸二異丁酯 (DIBP) (Diisobutyl phthalate (DIBP)) (CAS No.: 84-69-5) 鄰苯二甲酸二(2-乙基己基)酯 (DEHP) (Di-(2-ethylhexyl) phthalate (DEHP)) (CAS No.: 117-81-7) 氣 (F) (Fluorine (F)) (CAS No.: 14762-94-8) (A) (CI) (Chlorine (CI)) (CAS No.: 22537-15-1) (A) (B) (B) (Bromine (Br)) (CAS No.: 10097-32-2) (A) (B) (B) (Bromine (Br)) (CAS No.: 14362-44-8) (B) (B) (B) (B) (Bromine (Br)) (CAS No.: 14362-44-8) (B) (B) (B) (B) (B) (B) (CAS No.: 14362-44-8) (B) (CI) (CAS No.: 14362-44-8) (CI) (Chlorine (B)) (CAS No.: 14362-44-8) (CI) (CAS No.: 14362-44-8) (CI) (CAS No.: 14362-44-8) (CI) (CAS No.: 14362-44-8) (CI) (Chlorine (B)) (CAS No.: 14362-44-8) (CI) (CHLORINE (B) (CAS No.: 14362-4 | 多溴聯苯醚總和 (Sum of PBDEs) | | mg/kg | 1 | n.d. |
| ##苯二甲酸二丁酯 (DBP) (Dibutyl phthalate (DBP)) (CAS No.: 84-74-2) | • | | mg/kg | 50 | n.d. |
| phthalate (DBP)) (CAS No.: 84-74-2) 響考IEC 62321-8: 2017,以氣相層析儀/ 質譜儀分析。(With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.) mg/kg 50 n.d. 鄭苯二甲酸二(2-乙基己基)酯 (DEHP) (Di- (2-ethylhexyl) phthalate (DEHP)) (CAS No.: 117-81-7) 参考BS EN 14582: 2016 · 以離子層析儀 分析。(With reference to BS EN 14582: 2016, analysis was performed by IC.) mg/kg 50 n.d. 氯 (Cl) (Chlorine (Cl)) (CAS No.: 14762-94- 8) 参考BS EN 14582: 2016 · 以離子層析儀 分析。(With reference to BS EN 14582: 2016, analysis was performed by IC.) mg/kg 50 n.d. 氯 (Br) (Bromine (Br)) (CAS No.: 10097- 32-2) 参考BS EN 14582: 2016 · 以離子層析儀 分析。(With reference to BS EN 14582: 2016, analysis was performed by IC.) mg/kg 50 n.d. 碘 (I) (Iodine (I)) (CAS No.: 14362-44-8) 参考BS EN 14582: 2016 · 以離子層析儀 分析。(With reference to BS EN 14582: 2016, analysis was performed by IC.) mg/kg 50 n.d. | | | | | |
| Semination (DBP) (CAS No.: 84-74-2) | 1 | | mg/kg | 50 | n.d. |
| ### — 中酸二美 」 | | 質譜儀分析。(With reference to IEC 62321-8: 2017, analysis was performed | | | |
| ## 二甲酸二(2-乙基己基)酯 (DEHP) (Di- (2-ethylhexyl) phthalate (DEHP)) (CAS No.: 117-81-7) 第 (F) (Fluorine (F)) (CAS No.: 14762-94- 8) 第 (Cl) (Chlorine (Cl)) (CAS No.: 22537- 15-1) 第 (Br) (Bromine (Br)) (CAS No.: 10097- 32-2) ## (I) (Iodine (I)) (CAS No.: 14362-44-8) ## (DEHP) (Di- (2-ethylhexyl) phthalate (DEHP)) (CAS ## (Pi (Di- (2-ethylhexyl) phthalate (DEHP)) (CAS ## (With reference to BS EN 14582: 2016 · 以離子層析儀 分析。(With reference to BS EN 14582: 2016 · 以離子層析儀 | 1 | | mg/kg | 50 | n.d. |
| ##本_中酸_(2-乙基乙基)館 (DEHP) (DI- (2-ethylhexyl) phthalate (DEHP)) (CAS No.: 117-81-7) 第 (F) (Fluorine (F)) (CAS No.: 14762-94- 8) 第 (CI) (Chlorine (CI)) (CAS No.: 22537- 2016, analysis was performed by IC.) 第 (Br) (Bromine (Br)) (CAS No.: 10097- 32-2) ※ 考BS EN 14582: 2016・以離子層析儀分析。(With reference to BS EN 14582: 2016, analysis was performed by IC.) ※ 考BS EN 14582: 2016・以離子層析儀分析。(With reference to BS EN 14582: 2016, analysis was performed by IC.) ※ 考BS EN 14582: 2016・以離子層析儀分析。(With reference to BS EN 14582: 2016, analysis was performed by IC.) ※ 考BS EN 14582: 2016・以離子層析儀分析。(With reference to BS EN 14582: 2016, analysis was performed by IC.) ※ 考BS EN 14582: 2016・以離子層析儀分析。(With reference to BS EN 14582: 2016, analysis was performed by IC.) | | | | | |
| No.: 117-81-7) | | | mg/kg | 50 | n.d. |
| 氣 (F) (Fluorine (F)) (CAS No.: 14762-94-8)參考BS EN 14582: 2016 · 以離子層析儀分析。(With reference to BS EN 14582: 2016, analysis was performed by IC.)mg/kg50氯 (Cl) (Chlorine (Cl)) (CAS No.: 22537-15-1)參考BS EN 14582: 2016 · 以離子層析儀分析。(With reference to BS EN 14582: 2016, analysis was performed by IC.)mg/kg50溴 (Br) (Bromine (Br)) (CAS No.: 10097-32-2)參考BS EN 14582: 2016 · 以離子層析儀分析。(With reference to BS EN 14582: 2016, analysis was performed by IC.)mg/kg50碘 (I) (Iodine (I)) (CAS No.: 14362-44-8)參考BS EN 14582: 2016 · 以離子層析儀分析。(With reference to BS EN 14582: 2016 · 以離子層析成分析。(With reference to BS EN 14582) | | | | | |
| 8) 分析。(With reference to BS EN 14582: 2016, analysis was performed by IC.) | , | | | | |
| 2016, analysis was performed by IC.) 氯 (Cl) (Chlorine (Cl)) (CAS No.: 22537- 15-1) 参考BS EN 14582: 2016 · 以離子層析儀 分析。(With reference to BS EN 14582: 2016, analysis was performed by IC.) 溴 (Br) (Bromine (Br)) (CAS No.: 10097- 32-2) 参考BS EN 14582: 2016 · 以離子層析儀 分析。(With reference to BS EN 14582: 2016, analysis was performed by IC.) 碘 (I) (Iodine (I)) (CAS No.: 14362-44-8) 参考BS EN 14582: 2016 · 以離子層析儀 分析。(With reference to BS EN 14582: 2016 · 以離子層析儀 分析。(With reference to BS EN 14582: 2016 · 以離子層析儀 | | | mg/kg | 50 | n.d. |
| 氯 (Cl) (Chlorine (Cl)) (CAS No.: 22537- 15-1)參考BS EN 14582: 2016 · 以離子層析儀 分析。(With reference to BS EN 14582: 2016, analysis was performed by IC.)mg/kg50溴 (Br) (Bromine (Br)) (CAS No.: 10097- 32-2)參考BS EN 14582: 2016 · 以離子層析儀 分析。(With reference to BS EN 14582: 2016, analysis was performed by IC.)mg/kg50碘 (I) (Iodine (I)) (CAS No.: 14362-44-8)參考BS EN 14582: 2016 · 以離子層析儀 分析。(With reference to BS EN 14582:mg/kg50 | [8] | · · | | | |
| 15-1) 分析。(With reference to BS EN 14582: 2016, analysis was performed by IC.) | | | | | |
| 2016, analysis was performed by IC.) 溴 (Br) (Bromine (Br)) (CAS No.: 10097-32-2) 参考BS EN 14582: 2016 · 以離子層析儀分析。(With reference to BS EN 14582: 2016, analysis was performed by IC.) 碘 (I) (Iodine (I)) (CAS No.: 14362-44-8) 参考BS EN 14582: 2016 · 以離子層析儀分析。(With reference to BS EN 14582: 2016 · 以離子層析像分析。(With reference to BS EN 14582) · 如本格子稿子稿子稿子稿子稿子稿子稿子稿子稿子稿子稿子稿子稿子稿子稿子稿子稿子稿子稿 | | | mg/kg | 50 | n.d. |
| 溴 (Br) (Bromine (Br)) (CAS No.: 10097-32-2) 參考BS EN 14582: 2016 · 以離子層析儀分析。(With reference to BS EN 14582: 2016, analysis was performed by IC.) mg/kg 50 n.d. 碘 (I) (Iodine (I)) (CAS No.: 14362-44-8) 參考BS EN 14582: 2016 · 以離子層析儀分析。(With reference to BS EN 14582: 2016) mg/kg 50 n.d. | 15-1) | • | | | |
| 32-2) 分析。(With reference to BS EN 14582: 2016, analysis was performed by IC.) 碘 (I) (Iodine (I)) (CAS No.: 14362-44-8) 参考BS EN 14582: 2016.以離子層析儀分析。(With reference to BS EN 14582: 50 n.d. | | | | | |
| 2016, analysis was performed by IC.) | | | mg/kg | 50 | n.d. |
| 碘 (I) (lodine (I)) (CAS No.: 14362-44-8) 参考BS EN 14582: 2016 · 以離子層析儀 分析。(With reference to BS EN 14582: 50 n.d. | 32-2) | · | | | |
| 分析。(With reference to BS EN 14582: | | | | | |
| | 碘 (I) (Iodine (I)) (CAS No.: 14362-44-8) | | mg/kg | 50 | n.d. |
| 2016 analysis was performed by IC \ | | ` | | | |
| 2016, analysis was performed by ic.) | | 2016, analysis was performed by IC.) | | | |



Test Report

號碼(No.): ETR21900399M01 日期(Date): 03-Jan-2022 頁數(Page): 4 of 9

高柏科技股份有限公司 (T-GLOBAL TECHNOLOGY CO., LTD.) 桃園市桃園區大仁路50巷33號 (NO. 33, LN. 50, DAREN RD., TAOYUAN DISTRICT, TAOYUAN CITY 33068, TAIWAN R.O.C.)

備註(Note):

- 1. mg/kg = ppm; 0.1wt% = 1000ppm
- 2. MDL = Method Detection Limit (方法偵測極限值)
- 3. n.d. = Not Detected (未檢出); 小於MDL / Less than MDL
- 4. "-" = Not Regulated (無規格值)
- 5. 本報告為 ETR21900399 之異動報告。(This is the additional test report of ETR21900399.)



Test Report


號碼(No.): ETR21900399M01 日期(Date): 03-Jan-2022 頁數(Page): 5 of 9

高柏科技股份有限公司 (T-GLOBAL TECHNOLOGY CO., LTD.) 桃園市桃園區大仁路50巷33號 (NO. 33, LN. 50, DAREN RD., TAOYUAN DISTRICT, TAOYUAN CITY 33068, TAIWAN R.O.C.)

重金屬流程圖 / Analytical flow chart of Heavy Metal

根據以下的流程圖之條件,樣品已完全溶解。(六價鉻測試方法除外)

These samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr⁶⁺ test method excluded)






Test Report

號碼(No.): ETR21900399M01 日期(Date): 03-Jan-2022 頁數(Page): 6 of 9

高柏科技股份有限公司 (T-GLOBAL TECHNOLOGY CO., LTD.) 桃園市桃園區大仁路50巷33號 (NO. 33, LN. 50, DAREN RD., TAOYUAN DISTRICT, TAOYUAN CITY 33068, TAIWAN R.O.C.)

多溴聯苯/多溴聯苯醚分析流程圖 / Analytical flow chart - PBBs/PBDEs






Test Report

號碼(No.): ETR21900399M01 日期(Date): 03-Jan-2022 頁數(Page): 7 of 9

高柏科技股份有限公司 (T-GLOBAL TECHNOLOGY CO., LTD.) 桃園市桃園區大仁路50巷33號 (NO. 33, LN. 50, DAREN RD., TAOYUAN DISTRICT, TAOYUAN CITY 33068, TAIWAN R.O.C.)

可塑劑分析流程圖 / Analytical flow chart - Phthalate

【測試方法/Test method: IEC 62321-8】






Test Report

號碼(No.): ETR21900399M01 日期(Date): 03-Jan-2022 頁數(Page): 8 of 9

高柏科技股份有限公司 (T-GLOBAL TECHNOLOGY CO., LTD.) 桃園市桃園區大仁路50巷33號 (NO. 33, LN. 50, DAREN RD., TAOYUAN DISTRICT, TAOYUAN CITY 33068, TAIWAN R.O.C.)

鹵素分析流程圖 / Analytical flow chart - Halogen






Test Report

號碼(No.): ETR21900399M01 日期(Date): 03-Jan-2022 頁數(Page): 9 of 9

高柏科技股份有限公司 (T-GLOBAL TECHNOLOGY CO., LTD.) 桃園市桃園區大仁路50巷33號 (NO. 33, LN. 50, DAREN RD., TAOYUAN DISTRICT, TAOYUAN CITY 33068, TAIWAN R.O.C.)

* 照片中如有箭頭標示,則表示為實際檢測之樣品/部位. * (The tested sample / part is marked by an arrow if it's shown on the photo.)

ETR21900399



** 報告結尾 (End of Report) **