

Vapor Chamber

Features

- Horizontally conduction
- Passive components
- High stability
- Efficiency higher than heat pipe 10 times

Applications

Best for high power applications


Electronic components - Electric Vehicles, 5G, Autopilot System, Mobile Phone, AIOT, HPC (High Performance Computing), Server, IC, CPU, MOS, LED, Mother Board, Power Supply, Heat Sink, LCD-TV, Notebook, PC, Telecom Device, Wireless Hub, DDR II Module, etc.

Properties

Item	VC001	VC002	VC003	XVC-A001	XVC-A002	Unit	Tolerance
Size	56×56	106×70	106×70	90×60	80×80	mm	±0.3
Thickness	3.0	3.0	25.5	0.4	0.4	mm	±0.05
Thermal Resistance	≤ 0.21	≤ 0.16	≤ 0.16	<0.02	<0.02	° C/W	-
Material	Pure copper			Copper alloy		-	-
Surface finishing	anti-oxidation					-	-
Extra components	-	-	copper heat sink	-	-	-	-
Operation Power (Qmax)	≥110	≥150	≥150	10	10	W	-
Image						-	-

► Different industries will require different specifications, please contact us directly for the most suitable specifications.

Mechanism



T-Global Technolgy Co., Ltd

No.33, Ln.50, Daren Rd., Taoyuan Dist., Taoyuan City 330058, Taiwan

T +886-3-361-8899 E service@tglobalcorp.com W www.tglobalcorp.com

Version18
20220628



T-Global Technology are proud to announce the launch of a new company logo and mission statement as part of the ongoing growth and evolution of our company's brand.

NOTICE: The information contained herein is to the best of our knowledge true and accurate. Values stated in this technical data sheet represent typical values as not all tests are run on each lot of material produced. All specifications are subject to change without notice. The protective film and release paper does not affect the function of the product. If there is no special requirement, the default depends on T-Global. Since the varied conditions of potential use are beyond our control, all recommendations or suggestions are presented without guarantee or responsibility on our part and users should make their own test to determine the suitability of our products in any specific situation. This product is sold without warranty either expressed or implied, of fitness for a particular purpose or otherwise, except that this product shall be of standard quality, and except to the extent otherwise stated in T-Global Technology's invoice, quotation, or order acknowledgment. We disclaim any and all liabilities incurred in connection with the use of information contained herein, or otherwise. All risks of such are assumed by the user. Furthermore, nothing contained herein shall be construed as a recommendation to use any process or to manufacture or to use any product in conflict with existing or future patents covering any product or material or its use.